

Omejevanje izpusta aerosolov pri kurilnih napravah



Primož Vavpetič

Institut Jožef Stefan,
Esploro

Kaj je na voljo in zakaj je najboljša izbira elektrostatski princip ?

0.5 micron membrane

20-30 micron fabric

particulate in airflow

clean air

Rigid Frame Construction

Expanded Metal Support

Anti-Microbial Fibers

Polypropylene Self-Charging Electrostatic Fibers

Polyester Filter Self-Charging

Clean gas

Dirty gas

Scrubbing liquid inlet

Wet wall venturi

Venturi throat

Flooded elbow

Slurry

Cyclonic separator

Collector Rappers

Discharge Rappers

Distribution Rappers

Support Insulators

Top Grids

Discharge Support System

Inlet Gas Distribution

Outlet Nozzle

Access Doors

Support Steel

Discharge Electrodes

Collector Plates

Hopper Access Doors

Hoppers

Inlet Nozzle

Cross section of an electrostatic precipitator

Positively charged collector plates

Negatively charged metal grid

Smoke particles attracted to collector plates

Clean gas stream

Removed fine particles

Gas stream containing negative charged particles

Nekaj o učinkovitosti delovanja...




Figure 5: Influence of the distance between the plates on efficiency for precipitations with the same power consumption per unit of gas flow rate.




Figure 3: Influence of 2s on collection efficiency: A/Q = 12 s/m; s/2c = 0.5

Kaj je potrebno za implementacijo ?



- Varnost (visoka napetost, visoke temperature...)
- Ergonomija (kompaktnost, enostavna montaža...)
- Tehnični parametri (izkoristek, zmogljivost, frekvenca praznjenja...)
- Povezljivost naprav (kombiniranje s krmilji drugih naprav...)
- Zagotavljanje strokovne podpore in izobraževanj ekipam na terenu
- Pridobitev vseh dovoljenj in certifikatov
- ...



Hvala za pozornost!

Slike - Nova Zelandija v objemu izpustov iz malih kurišč pozimi



Reference in viri

- www.babcock.com (Babcock & Wilcox)
- <http://www.hitachi-infra.com.sg/services/energy/dustcollection/principle/dustcollection.html>
- https://en.wikipedia.org/wiki/Electrostatic_precipitator
- Braz. J. Chem. Eng. vol. 21, no.2, São Paulo, Apr./June 2004, (S. W. Nóbregal; M. C. R. Falaguastall; J. R. Couryll)
- <https://www.air-quality-eng.com/air-cleaners/mistbuster-advantage/>
- <http://ispatguru.com/air-pollution-control-devices/>
- Use of an electrostatic precipitator with wet-porous electrode arrays for removal of air pollution at a precision manufacturing facility, [Changhee Son](#) et al., *Journal of Aerosol Science Volume 100*, October 2016, Pages 118-128
- An Efficient Single-Stage Wet Electrostatic Precipitator for Fine and Nanosized Particle Control, Guan-Yu Lin et al., *Aerosol Science and Technology* 44(1), January 2010, 38-45
- <https://hongpo.com.sg/amicon-air-cleaner/>
- <http://encyclopedia.che.engin.umich.edu/Pages/SeparationsMechanical/ElectrostaticPrecipitators/ElectrostaticPrecipitators.html>
- http://www.colinmonteath.com/Colin_Monteath/New_images/Entries/2010/5/27_Smog_blog_-_winter_in_Christchurch%2C_New_Zealand.html
- <https://www.stuff.co.nz/environment/82329452/canterbury-unlikely-to-meet-air-quality-standards>
- <https://www.stuff.co.nz/timaru-herald/news/81338030/air-pollution-standards-again-breached-in-timaru>
- <https://oe.finance.si/8861711>
- Slike s prvih strani – vir: internet