



Network of knowledge for
efficient private forests

Co-funded by the
Erasmus+ Programme
of the European Union



Usewood minimachines

29.09.2021

Forest after work of Usewood mini harvester and forwarder













Usewood mini harvester

weight (tons)	2,3
Width (m)	1,5
Fuel consumption (l/h)	3
Wheels	8
Driving speed (km/h)	0 – 6
Engine	Kubota V1505T turbo diesel 33kW (44HP)
Hydraulics	Bosch Rexroth 0-130 l/min 200 bar variable displacement pump
Harvester head	UW180S
Crane lifting capability (kg)	350

Harvester head	Cutting diameter	0-220 mm
	Fast roller feed delimiting	Diameter 35-220 mm
	Branch diameter	0-40 mm
	weight	220 kg

A miniharvester



A miniharvester







Usewood mini forwarder

weight (tons)	2,3
Width (m)	1,53
Length (m)	5,3
Ground distance (m)	0,4
Fuel consumption (l/h)	15-20l / 8h
Wheels	8
Driving speed (km/h)	0 – 12
Engine	Kubota V1505T turbo diesel 33kW (44HP)
Hydraulics	Bosch Rexroth 0-130 l/min 200 bar variable displacement pump
Crane length	4,2m, extension 0,6m
Crane lifting capability (kg)	350
Cart capacity (m3)	3

A mini forwarder



Usewood mini combi machine

weight (tons)	2,5
Width (m)	1,5
Fuel consumption (l/h)	3
Wheels	8
Driving speed (km/h)	0 – 12
Engine	Kubota V1505T turbo diesel 33kW (44HP)
Hydraulics	Bosch Rexroth 0-130 l/min 200 bar variable displacement pump
Harvester head	UW180S
Crane lifting capability (kg)	350

A mini combi machine



Thank you for your attention 